

Fit To Fly

NordicDx AS

Professor Olav Hanssens vei 7A, Bygg i7
4021 Stavanger, Norge

www.nordicdx.no

Org. nr: 925 141 933

post@nordicdx.no

Tlf: 416 00 011

Customer ID: 10351

Sample collection: 09/03/2024, 13:40

Report issue: 09/30/2024, 11:37



Name
Date of birth (mm/dd/yyyy)
Passport No.

Celine Lorentsen
09/17/2019
zdgvgds

Confirmation of Covid-19 RT-PCR test result

To whom it may concern

This is to confirm that the above-mentioned person has had a CE-IVD approved Covid-19 SAVD+ SARS-Cov-2 RT-PCR test with sample collection using a **nasal swab**. The test was performed on a BioRad CFX 96 touch at our premises **on 09/03/2024, 13:40** and the test result is **negative**.

Feel free to contact us if you have any questions.

Yours sincerely

A handwritten signature in blue ink, followed by a circular blue stamp. The stamp contains the text: 'NordicDx AS', 'Tlf: 416 00 011', 'www.nordicdx.no', and 'Professor Olav Hanssens vei 7A, 4021 Stavanger'.

Test performed by: **Celine Lorentsen**, Authorized Laboratory Engineer

NordicDx AS

Approved to report to the Norwegian Health Authority (www.helsenorge.no)